eurostyle group pty ltd

More than just appliances

italian *taste*

italian *quality*

italian *service*

italian *lifestyle*

euro *appliances*

bringing the best of European quality to your home

working together with

GALVIN

www.eurostylegroup.com.au

euro appliances

Valencia

Code EP6004SX– 60cm Fan Forced Oven

OVEN LIGHT
The oven light will automatically turn on once any function is selected, helps to monitor the progress of your cooking.

FAN FORCED COOKING
For the ultimate roast or perfect batch of pastries. The element surrounding the fan delivers even heat for even cooking results, approx. 160ºC - 180ºC is recommended

FAN GRILL
This function is perfect for fish, chicken Fillets or meat Cutlets. The door can be left closed whilst grilling and Browning will occur from the top element. The fan Circulates the heat for all over cooking.

FULL GRILL
The perfect option for quick grilling. Toast your favourite meals or finish off the tops of your recipes.

DEFROST
In defrost mode, no heating elements are used. Only the fan is activated to circulate air inside the oven for defrosting and not cooking the food.

FEATURES

+ 5 multi-functions
  - Oven light
  - Fan forced
  - Fan grill
  - Full grill
  - Defrost
+ 65L net capacity oven volume
+ 120 minute auto-stop timer
+ Telescopic Runner
+ Triple glazed Removable door
+ Contained cavity cooling + tangential cooling fan
+ Stainless steel Control panel
+ Under-bench or wall oven installation

CLEANING AND MAINTENANCE

Easy clean **AAA** grade enamel interior.
Clean stainless steel using only recommended stainless steel cleaning products.
No abrasives, corrosive detergents, bleaches or acids not required for cleaning the oven.

TRIPLE GLAZED EASILY REMOVABLE DOOR

This oven is equipped with a triple glazed glass door, ensuring minimal heat will escape during the cooking process. Also to ensure a hassle free clean, the oven door can be easily removed by simply unclipping the inner glass.

CAVITY COOLING SYSTEM

To ensure that control knobs are constantly cool and surrounding cupboards are protected, the EP6004SX oven has a contained cavity cooling system with internal cooling fan.

ELECTRICAL REQUIREMENTS & INSTALLATION:

• This oven can be connected to a 10 AMP wiring connection.
• Oven is supplied with an Australian approved 15 AMP plug.
• For more information please refer to a qualified electrician.

VOLTAGE: 220 – 240V
POWER CONSUMPTION
MAX 2.1Kw
NET WEIGHT: 34.0kg
GROSS WEIGHT: 36.0kg
OVEN CAPACITY: 65L net capacity oven volume

PRODUCT INFORMATION



*Take positive tolerance of all the size in the cabinet
*Power switch and socket NOT included

Ovens

bringing the best of European quality to your home

Disclaimer: Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

2 TWO YEAR WARRANTY

euro appliances

Proline

Code EP6004WH– 60cm Fan Forced Oven

OVEN LIGHT
The oven light will automatically turn on once any function is selected, helps to monitor the progress of your cooking.

FAN FORCED COOKING
For the ultimate roast or perfect batch of pastries. The element surrounding the fan delivers even heat for even cooking results, approx. 160ºC - 180ºC is recommended

FAN GRILL
This function is perfect for fish, chicken Fillets or meat cutlets. The door can be left closed whilst grilling and Browning will occur from the top element. The fan circulates the heat for all over cooking.

DEFROST
In defrost mode, no heating elements are used. Only the fan is activated to circulate air inside the oven for defrosting and not cooking the food.

FULL GRILL
The perfect option for quick grilling. Toast your favourite meals or finish off the tops of your recipes.

FEATURES
+ 5 multi-functions
  - Oven light
  - Fan forced
  - Fan grill
  - Full grill
  - Defrost
+ 65L net useable volume capacity
+ White design
+ 120 minute auto-stop timer
+ Telescopic Runners
+ Triple Glazed Easily Removable door
+ Contained cavity cooling + tangential cooling fan
+ White Control panel
+ Under-bench or wall oven installation

CLEANING AND MAINTENANCE
Easy clean **AAA** grade enamel interior.
Clean stainless steel using only recommended stainless steel cleaning products.
No abrasives, corrosive detergents, bleaches or acids not required for cleaning the oven.

TRIPLE GLAZED EASILY REMOVABLE DOOR
This oven is equipped with a triple glazed glass door, ensuring minimal heat will escape during the cooking process. Also to ensure a hassle free clean, the oven door can be easily removed by simply unclipping the inner glass.

CAVITY COOLING SYSTEM
To ensure that control knobs are constantly cool and surrounding cupboards are protected, the EP6004WH oven has a contained cavity cooling system with internal cooling fan.

ELECTRICAL REQUIREMENTS & INSTALLATION:
• This oven can be connected to a 10 AMP wiring connection.
• Oven is supplied with an Australian approved 15 AMP plug.
• For more information please refer to a qualified electrician.

VOLTAGE: 220 – 240V
POWER CONSUMPTION
MAX 2.1Kw
NET WEIGHT: 34.0kg
GROSS WEIGHT: 36.0kg
OVEN CAPACITY: 65L net useable volume capacity
INSTALLATION:
For all installation please refer qualified technician to our product manual.

PRODUCT INFORMATION



*Take positive tolerance of all the size in the cabinet
*Power switch and socket NOT included

Ovens

bringing the best of European quality to your home

2 TWO YEAR WARRANTY

Disclaimer: Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

euro appliances

Proline

Code EP60M8SX – 60cm Electric Multifunction Oven

Ovens

FEATURES:

+ 9 multi-functions
    + Oven Light
    + Conventional
    + Thermowave Fan Assisted
    + Bottom Element
    + Fan Forced
    + Full Grill
    + Fan Grill
    + Defrost
+ 65L net useable volume capacity
+ LED display
+ Contained cavity cooling with tangential fan
+ Triple glazed door with easily removable inner glass
+ Fully programmable 9 hour timer control
+ Stainless steel design
+ Telescopic runner

CONVENTIONAL

This conventional cooking method involves the heat emanating evenly from the lower and upper elements into the oven ensures even cooking of the lower and upper side of the food being cooked. This function is perfect for cakes, pastry, baked pasta, lasagne and pizza.

FULL GRILL

Full grill is the perfect option for quick grilling. Toast your favourite meals or finish off the tops of your recipes.

DEFROST

In defrost mode, no heating elements are used. Only the fan is activated to circulate air inside the oven for defrosting. It defrosts food up to 30% faster than traditional methods

THERMOWAVE FAN ASSISTED

This is the position where the heat is coming from the lower and upper heating elements and the heat is circulated into the oven by the fan motor and blades.

OVEN LIGHT

The oven light will automatically turn on once any function is selected, helps to monitor the progress of your cooking.

FAN FORCED COOKING

For the ultimate roast or perfect batch of pastries. The element surrounding the fan delivers even heat for even cooking results, approx. 180ºC - 200ºC is recommended

FAN GRILL

This function is perfect for fish, chicken Fillets or meat Cutlets. This Combination is exceptional for cooking meats such as poultry, game and roasts, making them crispy on the outside and tender in the middle. The door can be left closed whilst grilling and Browning will occur from the top element.

BOTTOM ELEMENT

Great for pizza cooking, the bottom element creates the perfect cooking function for base cooked food.

TOP ELEMENT

Grill or toast enough of those favourite after school snacks to feed an army with the top element function.

TRIPLE GLAZED EASILY REMOVABLE DOOR

This oven is equipped with a triple glazed glass door, ensuring minimal heat will escape during the cooking process. Also to ensure a hassle free clean, the oven door can be easily removed by simply unclipping the inner glass.

CLEANING AND MAINTENANCE

Easy clean **AAA** grade enamel interior.
Clean stainless steel using only recommended stainless steel cleaning products.
No abrasives, corrosive detergents, bleaches or acids not required for cleaning the oven.

ELECTRICAL REQUIREMENTS & INSTALLATION:

• This oven can be connected to a 15 AMP wiring connection.
• Oven is supplied with an Australian approved 15 AMP plug.
• For more information please refer to a qualified electrician.

POWER CONSUMPTION: 3.0 KW MAX
VOLTAGE: 220-240v and 50/60 Hz
NET WEIGHT: 34KG
GROSS WEIGHT: 36KG
OVEN CAPACITY: 65L net useable volume capacity

PRODUCT DIMENSIONS



*Take positive tolerance of all the size in the cabinet
*Power switch and socket NOT included

bringing the best of European quality to your home

Disclaimer: Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

2 TWO YEAR WARRANTY

euro appliances

Valencia

Code EP900MSS - 90cm Multifunction Electric Oven



CONVENTIONAL
The top and bottom elements activate without the fan. This provides a traditional style of cooking suitable for slow cooking cakes and delicate pastries.

TOP ELEMENT ONLY
An ideal function for browning from the base only or browning from the top element of the oven.

FAN GRILL
This function is perfect for fish, chicken fillets or meat cutlets. The door can be left closed whilst grilling and browning will occur from the top element.

DEFROST
In defrost mode, no heating elements are used. Only the fan is activated to circulate air inside the oven for defrosting and not cooking the food.

HALF GRILL/FULL GRILL STATIC
Half grilling allows you to toast / brown all your favourite recipes in a smaller area. Full grill is the perfect option for quick grilling. Toasting your favourite meals or to finish off the top of your recipes.

BOTTOM ELEMENT
An ideal function for browning from the base only or browning from the bottom element of the oven.

FEATURES

+ 9 multi-functions
    + Fan-Forced
    + Thermowave Fan Assisted
    + Conventional
    + Top Element
    + Bottom Element
    + Fan Grill
    + Defrost
    + Half Grill
    + Full Grill Static
+ Fan-forced / Fan Assisted Convection cooking
+ 70L net usable volume capacity
+ 120 minute ring bell timer
+ Air cooled triple glazed door
+ Removable door
+ Contained cavity cooling
+ Under-bench or wall oven installation

REMOVABLE TRIPLE GLAZED OVEN DOOR
The oven door has triple glass to reduce the external door temperature, it can be easily removed for cleaning, please refer to product manual.

CAVITY COOLING SYSTEM
This oven has a contained cavity cooling system with internal cooling fan. This ensures control knobs are cool and protects surrounding cupboards. The cooling system also provides flow through oven door cooling.

FAN-FORCED COOKING
The element surrounding the fan delivers even heat for even cooking results, perfect for the ultimate roast or batch of pastries, approx.180ºC - 220ºC is recommended

THERMOWAVE FAN ASSISTED
Even baking is achieved with the top and bottom element forcing heat into the centre, whilst the fan distributes the heat evenly.

ELECTRICAL REQUIREMENTS
Supplied with 1.5mtr lead and 16 amp plug

POWER CONSUMPTION:
3.4Kw (Total power)

NET WEIGHT: 43.50kg

GROSS WEIGHT: 45.0kg

OVEN CAPACITY: 70L net useable volume capacity

INSTALLATION: Oven requires 16 amps and need a dedicated circuit from the socket to the main switchboard.
For all installation please refer qualified technician to our product manual.

PRODUCT DIMENSIONS



Ovens

bringing the best of European quality to your home

Disclaimer: Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

euro appliances

Sienna

Code EP90DMSX – 90cm Dual Freestanding Oven

FEATURES:

+ 8 multi-functions
    + Oven Light
    + Conventional
    + Thermowave Fan Assisted
    + Fan & Bottom Element
    + Fan Forced
    + Full Grill
    + Fan Grill
    + Defrost
+ 5 gas burners includes central wok
+ Cast Iron Trivets
+ Jumbo oven with 121L Gross volume capacity
+ Patented safety door with removable inner glass
+ Tangential Cooling Fan
+ Manufactured in finger proof 18/10 grade stainless steel
+ Lower storage compartment

CONVENTIONAL
This conventional cooking method involves the heat emanating evenly from the lower and upper elements into the oven ensures even cooking of the lower and upper side of the food being cooked. This function is perfect for cakes, pastry, baked pasta, lasagne and pizza.

FULL GRILL
Full grill is the perfect option for quick grilling. Toast your favourite meals or finish off the tops of your recipes.

DEFROST
In defrost mode, no heating elements are used. Only the fan is activated to circulate air inside the oven for defrosting. It defrosts food up to 30% faster than traditional methods

THERMOWAVE FAN ASSISTED
This is the position where the heat is coming from the lower and upper heating elements and the heat is circulated into the oven by the fan motor and blades.

OVEN LIGHT
The oven light will automatically turn on once any function is selected, helps to monitor the progress of your cooking.

FAN FORCED COOKING
For the ultimate roast or perfect batch of pastries. The element surrounding the fan delivers even heat for even cooking results, approx. 160ºC - 180ºC is recommended

FAN GRILL
This function is perfect for fish, chicken Fillets or meat Cutlets. This Combination is exceptional for cooking meats such as poultry, game and roasts, making them crispy on the outside and tender in the middle. The door can be left closed whilst grilling and Browning will occur from the top element.

FAN AND BOTTOM ELEMENT
Great for pizza cooking, the fan and bottom element create the perfect cooking function for base cooked food.



PATENTED COOL SAFETY DOOR
The patented cool safety door combines refined aesthetics with top performance. It features a highly attractive European design. A flow of cold air that circulates inside the door increases heat insulation and keeps external temperatures very low, particularly suitable for households with small children. To make cleaning your oven easier, the door can be taken off in a few seconds and the internal glass panels can be easily removed.

ELECTRICAL REQUIREMENTS
15 amp plug and needs a dedicated circuit from the socket outlet to the main switchboard

PRODUCT DIMENSIONS



POWER CONSUMPTION:
3.22 KW
GROSS WEIGHT: 80.0kg
NET WEIGHT: 71.0kg
OVEN CAPACITY: 121L Gross volume

Freestanding Ovens

bringing the best of European quality to your home

Disclaimer: Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

2 TWO YEAR WARRANTY

euro appliances

Valencia

Code EPZ4GSXV – 60cm Gas Cooktop

FEATURES

+ 4 gas burners with side control knobs
+ One piece hob for ideal cleaning
+ 1 touch electric ignition
+ Non-slip trivets
+ Natural gas or LPG (jets included)
+ Stainless Steel cooktop

ONE TOUCH ELECTRONIC IGNITION

This gas cooktop uses a one-touch electronic ignition system (240V plug in) Simply push down the knob and turn and the flame will ignite automatically

ENAMEL TRIVETS

Non-slip, enamel trivets are standard with this cook top and removable for easy cleaning.

(REAR LEFT) SEMI RAPID BURNER: 7.1 MJ/h
(REAR RIGHT) SEMI RAPID BURNER: 7.1 MJ/h
(FRONT LEFT) RAPID BURNER: 12.0 MJ/h
(FRONT RIGHT)AUXILIARY BURNER: 4.1 MJ/h

GAS RATED PRESSURE LPG GAS:	2.7 kPa
GAS RATED PRESSURE NATURAL GAS:	1.00 kPa

PRODUCT DIMENSIONS



IDEAL CLEANING

Cook top surface all in a “one piece hob setting” which makes cleaning the cook top a simple, non-time consuming activity.

ELECTRICAL REQUIREMENTS 10 amp plug
VOLTAGE: 240V
FREQUENCY: 50HZ

Cooktops

bringing the best of European quality to your home

Disclaimer: Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

2 TWO YEAR WARRANTY

Code EPZ4EESXV – 60cm Electric EGO Cooktop

FEATURES

+ Stainless steel cooktop
+ Sealed EGO elements for easy cleaning
+ 6 position temperature control
+ 2 quick heat elements
+ Electric Cooktop
+ “On” indicator light

SEALED EGO ELEMENTS

This feature of the cooktop makes cleaning the cooktop easier and is a huge advantage in maintaining the elements

6 POSITION TEMPERATURE CONTROL

With the option of 6 different temperature setting for each of the elements, this cooktop provides flexibility in your cooking to ensure you cook with the temperature that is perfect for you

IDEAL CLEANING

Cook top surface all in a “one piece hob setting” which makes cleaning the cook top a simple, non-time consuming activity.

ELECTRICAL REQUIREMENTS

25 amp dedicated circuit from cooktop to main switchboard

VOLTAGE: 240V

FREQUENCY: 50HZ

NORMAL PLATE – Ø 145mm – 1000W Load

NORMAL PLATE – Ø 180mm – 1500W Load

RAPID PLATE – Ø 145mm – 1500W Load

RAPID PLATE – Ø 180mm – 2000W Load

PRODUCT DIMENSIONS



TIPS FOR BETTER USE

- Always use pans with a flat base to ensure even contact with the hotplate
- The correct size of pan should be used so that the whole of the hot plate is covered
- Never switch on the hot plate without a pan in position as the hot plate can become distorted
- To ensure even contact and to prolong the life of hot plates, the base of the pans should be kept clean and dry
- Take care never to reach over the hot plate
- Allow time to cool before attempting to clean

bringing the best of European quality to your home

Disclaimer: Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

2 TWO YEAR WARRANTY

euro appliances Valencia

Code EGZ90GSV – 90cm Gas Cooktop

ONE TOUCH ELECTRONIC IGNITION

The EGZ90GS gas cooktop uses a one-touch electronic ignition system (240V plug in) simply push down the knob and turn and the flame will ignite automatically

ENAMEL TRIVETS

Non-slip, enamel trivets are standard with this cook top and removable for easy cleaning.

IDEAL CLEANING

Cook top surface all in a “one piece hob setting” which makes cleaning the cook top a simple, non-time consuming activity.

ELECTRICAL REQUIREMENTS 10 amp plug
VOLTAGE: 240V
FREQUENCY: 50HZ

FEATURES

+ 5 gas burners + triple ring wok burner
+ One piece hob for ideal cleaning
+ Stainless steel
+ One-touch electronic ignition
+ Non-slip trivets
+ Natural gas or LPG (jets included)

WOK BURNER

This cooktop comes standard with a wok burner ideally located centrally on the cooktop providing superior heat and power from the wok burner.

GAS RATED PRESSURE:

LPG GAS	2.7 kPa
NATURAL GAS	1.00 kPa

WOK BURNER:	14.5 MJ/HR x 1
SEMI RAPID BURNER:	7.1 MJ/HR x 2
RAPID BURNER:	12.0 MJ/HR x 1
AUXILIARY BURNER:	4.1 MJ/HR x 1

PRODUCT DIMENSIONS



OPTIONAL ACCESSORIES

Code: EWETB1
Enamel Wok
Support Trivet

Cooktops

bringing the best of European quality to your home

Disclaimer: Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

2 TWO YEAR WARRANTY

euro appliances

Code RE60C4B2 – 60cm Glass Electric Cooktop



FEATURES

+ Easy clean Ceran glass cooktop
+ 4 rapid elements with 6 position temperature control
+ Side knob controls
+ Electric Cooktop
+ Square edge design
+ "On" indicator light

WARRANTY: 2 YEARS

TIPS FOR BETTER USE

- Always use pans with a flat base to ensure even contact with the hotplate
- The correct size of pan should be used so that the whole of the hot plate is covered
- Never switch on the hot plate without a pan in position as the hot plate can become distorted
- To ensure even contact and to prolong the life of hot plates, the base of the pans should be kept clean and dry
- Take care never to reach over the hot plate
- Allow time to cool before attempting to clean

LARGE ELEMENT – Ø 180mm – 1800W Load
SMALL ELEMENT – Ø 145mm – 1200W Load

4 RAPID ELEMENTS

To ensure rapid heat time this cooktop is fitted with 4 rapid elements

SMOOTH CERAN GLASS COOKTOP

A high grade ceran glass is used for this cooktop to ensure easy cleaning of the smooth ceran surface

ELECTRICAL REQUIREMENTS

25 amp dedicated circuit from cooktop to main switchboard
VOLTAGE: 230V-400V
FREQUENCY: 50HZ
TOTAL RATED LOAD: 5.8KW

PRODUCT DIMENSIONS



Cooktops

bringing the best of Italian quality to Australia

DISCLAIMER Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

euro appliances

Proline

Code EPZ4GWHP – 60cm Gas Cooktop

FEATURES

+ 4 gas burners with side control knobs
+ One piece hob for ideal cleaning
+ 1 touch electric ignition
+ Non-slip trivets
+ Natural gas or LPG (jets included)
+ White cooktop

ONE TOUCH ELECTRONIC IGNITION

This gas cooktop uses a one-touch electronic ignition system (240V plug in) Simply push down the knob and turn and the flame will ignite automatically

ENAMEL TRIVETS

Non-slip, enamel trivets are standard with this cook top and removable for easy cleaning.

IDEAL CLEANING

Cook top surface all in a “one piece hob setting” which makes cleaning the cook top a simple, non-time consuming activity.

ELECTRICAL REQUIREMENTS 10 amp plug

VOLTAGE: 240V

FREQUENCY: 50HZ

GAS RATED PRESSURE LPG GAS: 2.7 kPa

GAS RATED PRESSURE NATURAL GAS: 1.00 kPa

(REAR LEFT) SEMI RAPID BURNER: 7.1 MJ/h

(REAR RIGHT) SEMI RAPID BURNER: 7.1 MJ/h

(FRONT LEFT) RAPID BURNER: 12.0 MJ/h

(FRONT RIGHT)AUXILIARY BURNER: 4.1 MJ/h

PRODUCT DIMENSIONS



OPTIONAL ACCESSORIES

Code: EWET
Enamel Wok
Support Trivet

Cooktops

bringing the best of European quality to your home

Disclaimer: Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

2 TWO YEAR WARRANTY

euro appliances

Proline

Code EPZ4EEWHP – 60cm Electric Cooktop

FEATURES

+ White colour cooktop
+ Sealed EGO elements for easy cleaning
+ 6 position temperature control
+ Electric Cooktop
+ “On” indicator light

SEALED EGO ELEMENTS

This feature of the cooktop makes cleaning the cooktop easier and is a huge advantage in maintaining the elements

6 POSITION TEMPERATURE CONTROL

With the option of 6 different temperature setting for each of the elements, this cooktop provides flexibility in your cooking to ensure you cook with the temperature that is perfect for you

NORMAL PLATE – Ø 145mm – 1000W Load
NORMAL PLATE – Ø 180mm – 1500W Load
RAPID PLATE – Ø 145mm – 1500W Load
RAPID PLATE – Ø 180mm – 2000W Load

IDEAL CLEANING

Cook top surface all in a “one piece hob setting” which makes cleaning the cook top a simple, non-time consuming activity.

ELECTRICAL REQUIREMENTS

25 amp dedicated circuit from cooktop to main switchboard

VOLTAGE: 240V

FREQUENCY: 50HZ

PRODUCT DIMENSIONS



TIPS FOR BETTER USE

- Always use pans with a flat base to ensure even contact with the hotplate
- The correct size of pan should be used so that the whole of the hot plate is covered
- Never switch on the hot plate without a pan in position as the hot plate can become distorted
- To ensure even contact and to prolong the life of hot plates, the base of the pans should be kept clean and dry
- Take care never to reach over the hot plate
- Allow time to cool before attempting to clean

Cooktops

bringing the best of European quality to your home

Disclaimer: Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

2 TWO YEAR WARRANTY

euro appliances

Code ESL6002S – 60cm Slide out Rangehood

FEATURES

+ Stainless Steel front fascia
+ Integrated front panel
+ 3 speed motor
+ 440m³/hr extraction capacity
+ Dishwasher safe cassette filters
+ Non-visible controls system
+ New smooth railing system
+ Automatic light function

WARRANTY: 2 YEARS

3 SPEED MOTOR
This rangehood provides the option of 3 different speed levels ensuring you have the option to use your range hood at a low, medium or high level of operation.

HIGH EXTRACTION CAPACITY
The extraction capacity of 440m³/hr provides strength and power to this stylish rangehood.

DISHWASHER SAFE CASETTE FILTERS
The cassette filters can be placed in a dishwasher for easy cleaning and can easily be removed re-connected from the range hood.

DECIBEL RATING
48-56 dBA

TIPS FOR BETTER USE
- To remove all odors, steam etc. leave your range hood on for 15 minutes after the cooking of the food
- The dishwasher-safe cassette filters need to be cleaned after approximately 2 months of standard operation
- It is recommended the range hood be installed between 650mm and 750mm above the cook top
- It is also recommended that fumes from the range hood be ducted out into the atmosphere.
- To ensure safe and effective cleaning turn off the range hood before attempting to clean

-Installation must be through qualified technician.

OPTIONAL ACCESSORIES

RANGEHOOD VENTILATION KITS – SUPUR-FLEX
RFK125W – range hood-venting kit - wall
RFK125E – range hood-venting kit – under eave
RFK125T – range hood-venting kit – roof cowl

RANGEHOOD VENTILATION KITS – SEMI-RIGID
RHK125W – range hood-venting kit - wall
RHK125E – range hood-venting kit – under eave
RHK125T – range hood-venting kit – roof cowl

OPTIONAL RANGEHOOD ACCESSORIES
Product Code: CF110 carbon filter (Requires x2)
Product Code: EFLUE Galv. Flue 125mm x 1200mm

ELECTRICAL REQUIREMENT:
Rangehood is supplied with 10amp cord & plug.

PRODUCT DIMENSIONS



Air Extraction

bringing the best of European quality to your home

Disclaimer: Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

2 TWO YEAR WARRANTY

euro appliances

Code ESL6002WH – 60cm Slide out Rangehood

FEATURES

+ White Colour Front Fascia
+ Integrated front panel
+ 3 speed motor
+ 440m³/hr extraction capacity
+ Dishwasher safe cassette filters
+ Non-visible controls system
+ New smooth railing system
+ Automatic light function

WARRANTY: 2 YEARS

3 SPEED MOTOR

This rangehood provides the option of 3 different speed levels ensuring you have the option to use your range hood at a low, medium or high level of operation.

HIGH EXTRACTION CAPACITY

The extraction capacity of 440m³/hr provides strength and power to this stylish rangehood.

DISHWASHER SAFE CASETTE FILTERS

The cassette filters can be placed in a dishwasher for easy cleaning and can easily be removed re-connected from the range hood.

DECIBEL RATING

48-56 dBA

TIPS FOR BETTER USE

- To remove all odors, steam etc. leave your range hood on for 15 minutes after the cooking of the food
- The dishwasher-safe cassette filters need to be cleaned after approximately 2 months of standard operation
- It is recommended the range hood be installed between 650mm and 750mm above the cook top
- It is also recommended that fumes from the range hood be ducted out into the atmosphere.
- To ensure safe and effective cleaning turn off the range hood before attempting to clean

-Installation must be through qualified technician.

OPTIONAL ACCESSORIES

RANGEHOOD VENTILATION KITS – SUPUR-FLEX

RFK125W – range hood-venting kit - wall
RFK125E – range hood-venting kit – under eave
RFK125T – range hood-venting kit – roof cowl

RANGEHOOD VENTILATION KITS – SEMI-RIGID

RHK125W – range hood-venting kit - wall
RHK125E – range hood-venting kit – under eave

OPTIONAL RANGEHOOD ACCESSORIES

Product Code: CF110 carbon filter (Requires x2)
Product Code: EFLUE Galv. Flue 125mm x 1200mm

ELECTRICAL REQUIREMENT:

Rangehood is supplied with 10amp cord & plug.

PRODUCT DIMENSIONS



ESL6002WH

Air Extraction

bringing the best of Italian quality to Australia

DISCLAIMER Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

euro appliances

Code ES390S – 90cm Slideout Rangehood

FEATURES

+ Integrated front panel
+ 3 speed motor
+ Quick Flow 400m³/hr extraction capacity
+ Stainless Steel
+ Dishwasher safe cassette filters
+ Dual Motor
+ Automatic light function

WARRANTY: 2 YEARS

3 SPEED MOTOR

This range hood provides the option of 3 different speed levels ensuring you have the option to use your range hood at a low, medium or high level of operation.

HIGH EXTRACTION CAPCITY

The extraction capacity of 400m³/hr provides strength and power to this stylish Italian range hood.

QUIET NOISE LEVEL

A very quiet motor ensures the range hood has a very quiet noise level.

Decibel Rating: 59 -70 dBa

DISHWASHER SAFE CASETTE FILTERS

The cassette filters can be placed in a dishwasher for easy cleaning and can easily be removed re-connected from the range hood.

TIPS FOR BETTER USE

- Leave your range hood on for 15 minutes after the cooking of the food to remove all odors, steam etc.
- The dishwasher-safe cassette filters need to be cleaned after approximately 2 months of standard operation
- It is recommended the range hood be installed between 650mm and 750mm above the cook top
- It is also recommended that fumes from the range hood be ducted out into the atmosphere.
- Turn off the range hood before attempting to clean

-Installation must be through qualified technician.

RANGEHOOD VENTILATION KITS – SUPUR-FLEX

RFK125W – range hood-venting kit - wall
RFK125E – range hood-venting kit – under eave
RFK125T – range hood-venting kit – roof cowl

RANGEHOOD VENTILATION KITS – SEMI-RIGID

RHK125W – range hood-venting kit - wall
RHK125E – range hood-venting kit – under eave
RHK125T – range hood-venting kit – roof cowl

OPTIONAL RANGEHOOD ACCESSORIES

Product Code: ACK63268
Carbon Filter for ES390S Range hood (requires x2)
Product Code: EFLUE Galv. Flue 125mm x 1200mm

PRODUCT DIMENSIONS



Air Extraction

bringing the best of European quality to your home

Disclaimer: Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

2 TWO YEAR WARRANTY

euro appliances

Code ERC60S – 60cm Stainless Steel Canopy

FUNCTIONS

+ 3 speed motor
+ 700m³/hr extraction capacity
+ Stainless Steel
+ Dishwasher safe cassette filters
+ Push button front controls
+ 150mm air flow outlet

WARRANTY: 2 YEARS

3 SPEED MOTOR

This range hood provides the option of 3 different speed levels ensuring you have the option to use your range hood at a low, medium or high level of operation.

HIGH EXTRACTION CAPCITY

The extraction capacity of 700m³/hr provides strength and power to this stylish range hood.

SAFETY THERMAL OVERLOAD SWITCH

To ensure peace of mind the overload switch provides by automatically switching off if a fire occurs and thereby prevents the fire being sucked up into the ceiling.

DISHWASHER SAFE CASETTE FILTERS

For easy cleaning, the cassette filters can be placed in a dishwasher and can easily be removed re-connected from the range hood.

TIPS FOR BETTER USE

- Leave your range hood on for 15 minutes after the cooking of the food to remove all odors, steam etc.
- The dishwasher-safe cassette filters need to be cleaned after approximately 2 months of standard operation
- It is recommended the range hood be installed between 650mm and 750mm above the cook top
- It is also recommended that fumes from the range hood be ducted out into the atmosphere.
- Turn off the range hood before attempting to clean

-Installation must be through qualified technician.

OPTIONAL ACCESORIES

CARBON FILTERS

Required when recirculating
CF160 – Carbon Filters to suit ERC60S

RANGEHOOD VENTILATION KITS – SUPUR-FLEX

RFK150W – range hood-venting kit - wall
RFK150E – range hood-venting kit – under eave
RFK150T – range hood-venting kit – roof cowl

RANGEHOOD VENTILATION KITS – SEMI-RIGID

RHK150W – range hood-venting kit - wall
RHK150E – range hood-venting kit – under eave
RHK150T – range hood-venting kit – roof cowl

PRODUCT DIMENSIONS



Air Extraction

bringing the best of European quality to your home

Disclaimer: Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

2 TWO YEAR WARRANTY

euro appliances

Code ERC90S – 90cm Stainless Steel Canopy

FUNCTIONS

+ 3 speed motor
+ 700m³/hr extraction capacity
+ Stainless Steel
+ Dishwasher safe cassette filters
+ Push button front controls
+ 150mm air flow outlet
+ Decibel rating: 52-63dBA

3 SPEED MOTOR

This range hood provides the option of 3 different speed levels ensuring you have the option to use your range hood at a low, medium or high level of operation.

HIGH EXTRACTION CAPCITY

The extraction capacity of 700m³/hr provides strength and power to this stylish range hood.

SAFETY THERMAL OVERLOAD SWITCH

To ensure peace of mind the overload switch provides by automatically switching off if a fire occurs and thereby prevents the fire being sucked up into the ceiling.

WARRANTY

All Primera products come with a 2 year warranty

DISHWASHER SAFE CASETTE FILTERS

For easy cleaning, the cassette filters can be placed in a dishwasher and can easily be removed re-connected from the range hood.

TIPS FOR BETTER USE

- Leave your range hood on for 15 minutes after the cooking of the food to remove all odors, steam etc.
- The dishwasher-safe cassette filters need to be cleaned after approximately 2 months of standard operation
- It is recommended the range hood be installed between 650mm and 750mm above the cook top
- It is also recommended that fumes from the range hood be ducted out into the atmosphere.
- Turn off the range hood before attempting to clean

-Installation must be through qualified technician.

OPTIONAL ACCESORIES

CARBON FILTERS

Required when recirculating
CF160 – Carbon Filters to suit ERC60S

RANGEHOOD VENTILATION KITS – SUPUR-FLEX

RFK150W – range hood-venting kit - wall
RFK150E – range hood-venting kit – under eave
RFK150T – range hood-venting kit – roof cowl

RANGEHOOD VENTILATION KITS – SEMI-RIGID

RHK150W – range hood-venting kit - wall
RHK150E – range hood-venting kit – under eave
RHK150T – range hood-venting kit – roof cowl

PRODUCT DIMENSIONS



3503B

Air Extraction

bringing the best of European quality to your home

Disclaimer: Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

2 TWO YEAR WARRANTY

euro appliances

Code ERGL90S – 90cm Curved Glass Canopy

FUNCTIONS

+ 3 speed motor
+ 700m³/hr extraction capacity
+ Stainless Steel
+ Dual Halogen Light
+ Dishwasher safe cassette filters
+ Electronic front button controls
+ 150mm air flow outlet

WARRANTY: 2 YEARS

3 SPEED MOTOR

This range hood provides the option of 3 different speed levels ensuring you have the option to use your range hood at a low, medium or high level of operation.

HIGH EXTRACTION CAPCITY

The extraction capacity of 700m³/hr provides strength and power to this stylish range hood.

SAFETY THERMAL OVERLOAD SWITCH

To ensure peace of mind the overload switch provides by automatically switching off if a fire occurs and thereby prevents the fire being sucked up into the ceiling.

WARRANTY

All Primera products come with a 2 year warranty

DISHWASHER SAFE CASETTE FILTERS

For easy cleaning, the cassette filters can be placed in a dishwasher and can easily be removed re-connected from the range hood.

TIPS FOR BETTER USE

- Leave your range hood on for 15 minutes after the cooking of the food to remove all odors, steam etc.
- The dishwasher-safe cassette filters need to be cleaned after approximately 2 months of standard operation
- It is recommended the range hood be installed between 650mm and 750mm above the cook top
- It is also recommended that fumes from the range hood be ducted out into the atmosphere.
- Turn off the range hood before attempting to clean

-Installation must be through qualified technician.

OPTIONAL ACCESORIES

CARBON FILTERS

Required when recirculating
CF160 – Carbon Filters to suit ERGL90S

RANGEHOOD VENTILATION KITS – SUPUR-FLEX

RFK150W – range hood-venting kit - wall
RFK150E – range hood-venting kit – under eave
RFK150T – range hood-venting kit – roof cowl

RANGEHOOD VENTILATION KITS – SEMI-RIGID

RHK150W – range hood-venting kit - wall
RHK150E – range hood-venting kit – under eave
RHK150T – range hood-venting kit – roof cowl

PRODUCT DIMENSIONS



Air Extraction

bringing the best of European quality to your home

TWO YEAR WARRANTY

Disclaimer: Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

euro appliances

Code EGC7USS – 70cm Under mount Rangehood

FEATURES

+ Soft Touch undermount control panel
+ 15 minute end timer
+ Clean air function
+ High Flow 850m³/hr extraction capacity
+ Stainless Steel Bottom Panel
+ 20W Twin downlights
+ 3 speed Air function with Booster

WARRANTY: 2 YEARS

FLUSH UNDERMOUNT INSTALLATION

The EGC7USS once installed into the cabinet will sit flush which conceals the remainder of the rangehood, providing a clean and modern look for your rangehood.

SOFT TOUCH UNDERMOUNT CONTROLS

This range hood provides a Soft Touch Button system designed for easy usage.

HIGH EXTRACTION CAPACITY

The extraction capacity of 850m³/hr provides strength and power to this stylish Italian range hood.

DISHWASHER SAFE CASETTE FILTERS

The cassette filters can be placed in a dishwasher for easy cleaning and can easily be removed re-connected from the range hood.

TIPS FOR BETTER USE

- Leave your range hood on for 15 minutes after the cooking of the food to remove all odors, steam etc.
- The dishwasher-safe cassette filters need to be cleaned after approximately 2 months of standard operation
- It is recommended the range hood be installed between 650mm and 750mm above the cook top
- It is also recommended that fumes from the range hood be ducted out into the atmosphere.
- Turn off the range hood before attempting to clean

-Installation recommended through a qualified authorised installer.

RANGEHOOD VENTILATION KITS – SUPUR-FLEX

RFK150W – range hood-venting kit - wall
RFK150E – range hood-venting kit – under eave
RFK150T – range hood-venting kit – roof cowl

RANGEHOOD VENTILATION KITS – SEMI-RIGID

RHK150W – range hood-venting kit - wall
RHK150E – range hood-venting kit – under eave
RHK150T – range hood-venting kit – roof cowl

OPTIONAL RANGEHOOD ACCESSORIES

Product Code: ACK62260 Carbon filter for Recirculating (Requires x2)

ELECTRICAL REQUIREMENT:

Rangehood is supplied with a 10amp cord & plug.
Decibel rating 61

PRODUCT DIMENSIONS



Air Extraction

bringing the best of European quality to your home

Disclaimer: Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

2 TWO YEAR WARRANTY

euro appliances

Code EPF60DS – 60cm Freestanding Dishwasher

*IMAGE FOR ILLUSTRATION PURPOSES

FEATURES:

+ 12 place setting
+ Delay start function
+ 6 wash programs
    + Rapid
    + Heavy
    + Normal
    + 1 Hour Express
    + Glass
    + Intensive
+ Twin sliding cutlery baskets
+ Height adjustable top basket
+ Concealed Heating Element
+ Removable top cover (30mm)
+ Water consumption 10.5L
+ 2.5 star energy rating
+ 4.5 star water rating

12 PLACE SETTINGS

The 12-place settings option this dishwasher provides results in greater flexibility in what types of dishes and cutlery that can be washed.

COUNTER BALANCED DOOR

The door of this dishwasher is counter balanced and can be opened to any angle. This will prevent the door to bounce and damage any items in the dishwasher.

2 LEVEL HEIGHT ADJUSTMENT TOP BASKET

The adjustable top basket has the option of a high or low setting, ensuring you can fit in those taller than normal dishes with ease.

TWIN SLIDING CUTLERY BASKETS

Fitted with twin sliding cutlery baskets, this function results in an easy-to-use basket operation and the protection will enhance the life of the baskets.

6 WASH PROGRAMS WITH 1 HOUR EXPRESS

The EPF60DS dishwasher provides you with the choice of 6 different wash programs to ensure you can select the type of wash which best suits whether it be after a small meal or large dinner party. The 1 hour express is a quick program with full washing performance, which saves the time and ensures your dishes come out clean and sparkling.

NEW WATER INLET & FILTER SYSTEM

This latest design from euro has internal water inlet system to prevent leaking water to the floor. Compared to previous models, this dishwasher has a larger filter that collects and disperses dirty water much quicker, and also minimizes filter blockages.

Energy rating: ★★★½

Water rating: ★★★★½

WATER CONNECTION:
Cold water (as dishwasher has its own heating element)
NET WEIGHT: 42.0kg
GROSS WEIGHT: 48.0kg
CAPACITY: 12 Place Settings
NOISE LEVEL: 49 Decibel Rating
INSTALLATION: For all installation please refer qualified technician to our product manual.
INLET HOSE: 1.5m
ADJUSTABLE FEET: 20mm long
DRAIN HOSE: 1.5m long
ADJUSTABLE FEET: 20mm

PRODUCT DIMENSIONS



Dishwashers

bringing the best of European quality to your home

Disclaimer: Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

2 TWO YEAR WARRANTY

euro appliances

Code EPF60DWH – 60cm Freestanding Dishwasher

*IMAGE FOR ILLUSTRATION PURPOSES ONLY

FEATURES:

+ 12 place setting
+ Delay start function
+ 6 wash programs
    + Rapid
    + Heavy
    + Normal
    + 1 Hour Express
    + Glass
    + Intensive
+ Twin sliding cutlery baskets
+ Height adjustable top basket
+ Concealed Heating Element
+ Removable top cover (30mm)
+ Water consumption 10.5L
+ 2.5 star energy rating
+ 4.5 star water rating

12 PLACE SETTINGS

The 12-place settings option this dishwasher provides results in greater flexibility in what types of dishes and cutlery that can be washed.

COUNTER BALANCED DOOR

The door of this dishwasher is counter balanced and can be opened to any angle. This will prevent the door to bounce and damage any items in the dishwasher.

2 LEVEL HEIGHT ADJUSTMENT TOP BASKET

The adjustable top basket has the option of a high or low setting, ensuring you can fit in those taller than normal dishes with ease.

TWIN SLIDING CUTLERY BASKETS

Fitted with twin sliding cutlery baskets, this function results in an easy-to-use basket operation and the protection will enhance the life of the baskets.

6 WASH PROGRAMS WITH 1 HOUR EXPRESS

The EPF60DS dishwasher provides you with the choice of 6 different wash programs to ensure you can select the type of wash which best suits whether it be after a small meal or large dinner party. The 1 hour express is a quick program with full washing performance, which saves the time and ensures your dishes come out clean and sparkling.

NEW WATER INLET & FILTER SYSTEM

This latest design from euro has internal water inlet system to prevent leaking water to the floor. Compared to previous models, this dishwasher has a larger filter that collects and disperses dirty water much quicker, and also minimizes filter blockages.

Energy rating: ★★½

Water rating: ★★★★½

WATER CONNECTION:
Cold water (as dishwasher has its own heating element)
NET WEIGHT: 42.0kg
GROSS WEIGHT: 48.0kg
CAPACITY: 12 Place Settings
NOISE LEVEL: 49 Decibel Rating
INSTALLATION: For all installation please refer qualified technician to our product manual.
INLET HOSE: 1.5m long
DRAIN HOSE: 1.5m long
ADJUSTABLE FEET: 20mm

PRODUCT DIMENSIONS



Dishwashers

bringing the best of European quality to your home

Disclaimer: Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

2 TWO YEAR WARRANTY

euro appliances

Code ED25MS - 25L Microwave Oven

FEATURES

+ 25L Digital stainless steel microwave oven
+ 5 Microwave power levels
+ Microwave output power 900W
+ 8 Auto cook menu / defrost
+ Stainless steel exterior cavity
+ Stainless steel interior and exterior
+ Child Safety Lock

WARRANTY: 2 YEARS

MICRO
Use to set microwave cooking time. Allows you to set up to 95 minutes.

WEIGHT DEFROST
Use to defrost frozen meat, poultry and seafood by weight. The defrosting time and power level are automatically set once the food category and the weight are programmed

QUICK START
Use this feature to program the oven for 4 popular microwave timings. The oven will operate at high power for express cooking.

ELECTRICAL REQUIREMENTS 10 amp plug

POWER CONSUMPTION:
240~50hz,
Rated Input Power: 1450W (Microwave)
Rated Output Power: 950W (Microwave)

NET WEIGHT: 14.5kg

OVEN CAPACITY: 25 LITRES

TURNTABLE DIAMETER: 350mm

EXTERNAL DIMENSIONS: 513(L)x440(W)x305mm(H)

DEFROST BY WEIGHT OR TIME
This function give you the option to defrost foods by time or by weight at your discretion.

AUTO REHEAT
This setting will allow you to automatically reheat your foods by selecting the weight of your food.

CLOCK
Used to set the time of day or recall the time of day. The time of day will be displayed at all times

PRE-SET MICROWAVE
Use to set the microwave to start-up at a later time of day selected by the user with the option of setting two cooking stages.

PRODUCT DIMENSIONS



Dishwashers

bringing the best of European quality to your home

Disclaimer: Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

2 TWO YEAR WARRANTY

euro appliances

Code E28MTKSS - 28L Microwave Oven/Grill

FEATURES

+ 28L digital stainless steel microwave oven/grill
+ control panel key press
+ Stainless steel front and trim kit
+ 5 microwave power levels
+ 95 minute timer
+ Lock out function for children
+ Auto cook menu and defrost
+ grill function 1000w
+ Microwave and trim kit used for built in purposes only.

WARRANTY: 2 YEARS

FUNCTIONS

MEMORY
Used for setting and storing 1st and 2nd cooking stages

CLOCK
The time of day will be displayed at all times

PRE-SET
Use to set the microwave to start-up at a specified time

MICRO
Allows you to set a cooking time of up to 95 minutes.

GRILL
Allows you to set grill cooking time of up to 95 minutes. (Grill rack included)

TIMER
Use to set microwave cooking time. Allows you to set up to 95 minutes.

DEFROST BY TIME
Use to set microwave defrost time. Allows you to set a maximum of 95 minutes.

DEFROST BY WEIGHT
Defrost food according to weight from 100g to 2000g.

ELECTRICAL REQUIREMENTS 10 amp plug

POWER CONSUMPTION:
Rated input power (microwave): 1450w
Rated output power (microwave): 900w
Rated input power (grill): 1000w
Rated Voltage:230v, 50hz

NET WEIGHT: 16.5kg
OVEN CAPACITY: 25 LITRES

PRODUCT DIMENSIONS



Microwave and Trim Kit for built in purposes only

Microwaves

bringing the best of European quality to your home

Disclaimer: Please note that measurements and model appearances may change at any time. Euro Appliances reserve the right to change specifications without notice.

2 TWO YEAR WARRANTY